

Clean outdoor
spaces...
minimal effort.

9





Technology

- 1 STIHL Easy2Start (E)**
An extra spring between the crankshaft and starter cord keeps load peaks to a minimum so they can barely be felt on the cord. That means trouble-free, almost effortless starting.
- 2 Muffler**
The muffler in the blower tube reduces noise levels even if you're running at full power.
- 3 HD2 filter**
This air filter keeps even the finest dust away from the engine which means a longer service life.

Comfort

- 4 STIHL anti-vibration system**
Our anti-vibration system reduces handle vibrations, so you'll find the tool less tiring and more comfortable to use.
- 5 Locking throttle lever with stop button**
You can lock the throttle on "Full". A single flick of the thumb can then shut off the engine. You can restart again straightaway. Simple.

i Please note that not all products are equipped with the features listed here. Only the most important features are described on this page. For further explanations and information, see page 252 onwards or online at www.stihl.com.au.



Petrol blowers

- For homeowners and professional workers
- Hand-held and back-pack versions
- Powerful and efficient
- Great user comfort

BG 56



27.2 cm³, 4.1 kg[Ⓞ]. Quickly clears leaves and grass cuttings. Round nozzle, HD2 filter and stop button.

Order No. 4241 011 1745

BG 86



NEW

Available from
Spring 2019

27.2 cm³, 4.4 kg[Ⓞ]. Suitable for clearing large areas of leaves and grass in very dusty areas, thanks to the new HD2 filter. Round nozzle, flat nozzle, STIHL anti-vibration system, STIHL ElastoStart, locking throttle lever with stop button.

Order No. 4241 011 1740

BG 86 C-E



27.2 cm³, 4.4 kg[Ⓞ]. Suitable for clearing large areas of leaves and grass, suitable for use in very dusty areas, thanks to the new HD2 filter. Round nozzle, flat nozzle, STIHL anti-vibration system, STIHL Easy2Start, 2-MIX engine, locking throttle lever with stop button.

Order No. 4241 011 1744

BR 200



27.2 cm³, 5.7 kg[Ⓞ]. Compact and very light backpack blower. STIHL anti-vibration system, 2-MIX engine, simple starting technology, locking throttle lever with stop button, carry handle.

Order No. 4241 011 1604

BR 450 C-EF



Start the tool at the push of a button

63.3 cm³, 11.5 kg[Ⓞ]. Very powerful blower with STIHL ElectroStart for convenient stopping and restarting of the blower via the control handle. Additional pull starter with STIHL Easy2Start for starting at temperatures below 0° C. Soft handle, STIHL anti-vibration system, wide shoulder straps, 2-MIX[®] engine, locking throttle lever with stop button, tool-free blower tube length adjustment and handle position adjustment.

Order No. 4244 011 1605

BR 450



63.3 cm³, 11.5 kg[Ⓞ]. Very powerful blower with exceptional blowing performance Tool-free adjustment of the handle position and infinitely variable adjustment of the blower tube length. Soft handle STIHL anti-vibration system, 2-MIX[®] engine. Ergonomically shaped, wide shoulder straps, locking throttle lever with stop button, carry handle.

Order No. 4244 011 1606

BR 700



64.8 cm³, 10.8 kg[Ⓞ]. The ultimate high-performance blower with outstanding blowing power. Tool-free adjustment of the handle position and adjustment of the blower tube length. Soft handle. STIHL anti-vibration system, 4-MIX[®] engine. Ergonomically shaped, wide shoulder straps, hip belt, locking throttle lever with stop button, carry handle. The optional bike handle (4282 790 1700) is recommended when working with curved nozzles for long periods.

Order No. 4282 011 1627

For suitable fuels and lubricants, see page 210 onwards.

The C comfort feature in the product name: Many STIHL tools are standard-fitted with special comfort features, which can be identified by the C in the product name, e.g. BR 450 C-EF. The E stands for the STIHL Easy2Start, and the F for ElectroStart.



Battery blowers

- Blowers for domestic and professional use
- Ideal for cleaning in noise-sensitive residential areas and around hospitals or schools, etc
- The quietest blowers in our range
- Cordless and emission free

BGA 45

Lithium-Ion



Easily manoeuvrable battery blower for clearing small outdoor areas around the garden and patio. Round nozzle, Lithium-Ion battery (45 Wh) with charge level indicator. Weight: 2.0 kg[ⓐ]. Battery charging time 210 min/300 min (80%/100%).

Order No. 4513 011 5904

BGA 56

AK 20 Lithium-Ion COMPACT



Well balanced and powerful battery blower with a streamlined design for comfortable and effortless work in the garden. Round nozzle, soft handle, three-setting length-adjustable blower tube for achieving optimum blowing force in use. Weight: 2.1 kg[ⓐ].

BGA 56 excluding battery and charger

Order No. 4523 011 5900

BGA 56 set with AK 20 and AL 101

Order No. 4523 011 5914

For suitable lithium-ion batteries and other accessories, see page 8 onwards.

ⓐ Weight including battery

ⓑ Weight excluding battery

BGA 85



Powerful easy to use and operate battery blower for domestic and professional use. Round nozzle, rubberised handle, speed control and very quiet operating sound. Weight: 3.2 kg^②.

BGA 85 excluding battery and charger

Order No. 4853 011 5900

BGA 100



Pleasantly quiet, lightweight and very powerful battery blower for professional use, especially in urban, noise-sensitive areas. Round nozzle, soft handle, three power levels with additional boost function, three-level length-adjustable blower tube, attachment loop for use with support cushion. Weight: 2.5 kg^②.

For long periods of use, we recommend the AR backpack.

BGA 100 excluding battery and charger

Order No. 4866 011 5900



STIHL professional tip:

Wet foliage stuck to the ground can be very easily removed using the BGA 100 combined with a flat nozzle. The high air speed means that leaves are loosened from the ground more easily, and heavy blowable materials are moved more quickly.

For further technical data, visit www.stihl.com.au.



① Explanation of symbols on page 253

② Weight excluding battery



Electric blowers

- For homeowners
- Ideal for frequent use on private grounds
- Comfortably quiet operation
- High blowing power

BGE 61



240 V, 1.1 kW, 3.0 kg[®]. For cleaning small to medium spaces around the home. Flat nozzle, cable strain relief.

Order No. 4811 011 1544

BGE 81



240 V, 1.4 kW, 3.3 kg[®]. For cleaning large spaces around the home. Flat nozzle, soft handle, infinitely variable speed control, lock button to lock air stream, cable strain relief, can also be used as a vacuum shredder with the retrofittable vacuum attachment.

Order No. 4811 011 1530

STIHL professional tip:



Your electric blower can be easily used as a vacuum shredder, which shreds the leaves that were vacuumed straight away before they're put into the collection bag. The shredded leaves can then ideally be used for mulching. For this you will simply need the attachment set for electric blowers, which you can find on page 154.



Vacuum attachment



For converting the blower into a vacuum shredder. For BG 56 and BG 86.

Order No. 4241 700 2200

Hip belt



Equally distributes the weight across the hips. Soft padding.

For BR 450

Order No. 4203 710 9102

For BR 500

Order No. 4282 710 9101

Vacuum attachment



For converting the electric blower into an electric garden vacuum. For BGE 81.

Order No. 4811 700 2201

Gutter cleaning set



For clearing dirt and leaves. Approx. 3 m long blower tube, for BG 56, BG 66, BG 86, BGE 61 and BGE 81.

Order No. 4241 007 1003

FSA and BGA Support cushion set



For retrofitting to all FS harnesses in the ADVANCE series without comfort carry rings. Supplied with an adapter for attaching the support cushions. For use with FSA and BGA to the battery belt or to the hip belt of the backpack carrying system/AR backpack battery.

Order No. 0000 007 1045

Chest belt



Ensures the shoulder straps are securely positioned. For BR 200, BR 450, BR 500, BR 600 and BR 700.

Order No. 0000 790 7700

Accessories for blowers

- For extending the range of possible applications
- Various nozzles
- Gutter cleaning set
- Harness for improved user comfort

Harness with carrying strap



Harness for BGA 85 for effortless work. The right balance is achieved through different rope-attachment loops, regardless of whether AP or AR battery operated. When using AR batteries an additional support cushion is needed.

Order No. 4853 710 9000



	Order number	Shape	Suitable for blower	Use
Flat nozzles				
	4866 701 8301	straight	BGA 56, BGA 100	Makes heavy or wet blowable materials easier to remove because of the high air speed. Enables work on large surfaces, spreads the air stream parallel to the ground.
	4241 708 6302	curved	BG 56, BG 86, BGE 61, BGE 81	
	4606 701 8301	curved	BGA 85	
	4282 708 6340	curved	BR 450, BR 500, BR 600	
	4282 708 6304	curved	BR 700	
Round nozzles				
	4282 708 6360	straight	BR 450	For effortless operation due to straight nozzle shape.
	4244 708 6301	straight	BR 450	
	4282 708 6370	straight	BR 500	
	4282 708 6350	straight	BR 600	
	4282 708 6302	straight	BR 700	

	Order number	Displacement (cm ³)	Rated voltage (V)	Power consumption (kW)	Weight (kg)	Sound pressure level ^① (dB(A))	Sound power level ^② (dB(A))	Vibration level, right ^③ (m/s ²)	STIHL engine (2-MIX/4-MIX [®])	Blowing force (N) ^④	Air speed (m/s) with round nozzle/ flat nozzle	
Petrol blowers												
BG 56	4241 011 1745	27.2	–	–	4.1 ^⑤	90	104	7.5	2-MIX	13	60/–	
BG 86 NEW	4241 011 1740	27.2	–	–	4.4 ^⑤	90	104	2.5	2-MIX	15	63/74	
BG 86 C-E	4241 011 1744	27.2	–	–	4.4 ^⑤	90	104	1.9	2-MIX	15	63/74	
BR 200	4241 011 1604	27.2	–	–	5.7 ^⑤	96	103	3.0	2-MIX	12	56/–	
BR 450	4244 011 1606	63.3	–	–	10.6 ^⑤	102	108	2.5	2-MIX	28	83/–	
BR 450 C-EF	4244 011 1605	63.3	–	–	11.5 ^⑤	102	108	2.5	2-MIX	28	83/–	
BR 700	4282 200 0015	64.8	–	–	10.8 ^⑤	101	109	2.5	4-MIX [®]	35	74/–	
Battery blowers												
BGA 45	4513 011 5904	–	18	–	2.0 ^⑥	76	87	3.2	–	5	38/–	
BGA 56	4523 011 5900	–	36	–	2.1 ^⑦	79	91	2.5	–	9	45/48	
BGA 56 set with AK 20 + AL 101	4523 011 5914	–	36	–	3.3 ^⑥	79	91	2.5	–	9	45/48	
BGA 85	4853 011 5900	–	36	–	3.2 ^⑦	83	98	2.5	–	10	47/40	
BGA 100	4866 011 5900	–	36	–	2.5 ^⑦	80	90	2.5	–	17 ^⑧	63 ^⑧ /68	
Electric blowers												
BGE 61	4811 011 1544	–	240	1.1	3.0 ^⑥	85	100	1.0	–	9	–/58	
BGE 81	4811 011 1530	–	240	1.4	3.3 ^⑥	89	103	4.1	–	12	–/68	

● As standard
○ Retrofittable (accessory)

E = Easy2Start
F = ElectroStart

① K factor according to Dir. 2006/42/EC = 2.0 dB(A)
② K factor according to Dir. 2006/42/EC = 2 m/s²
③ Combination of air speed and air throughput

④ Without blower attachment/nozzle
⑤ Weight excluding fuel, fully assembled
⑥ Weight including battery

	Air throughput (m ³ /h) with round nozzle/flat nozzle	Max. air speed (m/s) with round nozzle/flat nozzle	Max. air throughput (m ³ /h)Ⓒ	Round nozzle/flat nozzle	STIHL anti-vibration system	STIHL ElastoStart	STIHL Easy2Start (E)	STIHL ElectroStart (F)	Chest strap/hip strap	Vacuum attachment
	700/-	71/-	730	●/○	-	○	-	-	-/-	○
	755/620	76/89	810	●/●	●	●	-	-	-/-	○
	755/620	76/89	810	●/●	-	●	-	●	-/-	○
	680/-	67/-	800	●/-	●	-	-	-	○/-	-
	1,090/-	99/-	1,430	●/-	●	-	-	●	○/○	-
	1,090/-	99/-	1,430	●/-	●	-	●	●	○/○	-
	1,550/-	88/-	1,860	●/○	●	-	-	-	○/●	-
	420/-	44/-	500	●/-	-	-	-	-	-/-	-
	600/530	54/58	750	●/○	-	-	-	-	-/-	-
	600/530	54/58	750	●/○	-	-	-	-	-/-	-
	665/800	56/49	845	●/○	-	-	-	-	-/-	-
	840 [®] /760	75 [®] /81	1,040	●/○	-	-	-	-	-/-	-
	-/485	-/70	670	-/●	-	-	-	-	-/-	-
	-/565	-/82	750	-/●	-	-	-	-	-/-	○

Ⓓ Weight excluding battery

Ⓔ Weight including battery, excluding charger

Ⓕ Weight excluding cable

Ⓖ In boost





Petrol vacuum shredders, electric vacuum shredders and accessories

-  Made for home and professional use
-  Ideal for removing and shredding leaves and cuttings
-  Can be easily converted into a blower

SH 56 C-E



27.2 cm³, 5.2 kg^①. Compact petrol vacuum shredder. Ideal for clearing medium-sized areas. Infinitely variable speed control, round nozzle, 2-MIX engine. Can also be used as a blower.

Order No. 4241 011 0926

SHE 81



240 V, 1.4 kW, 4.5 kg^②. For large areas and around the home. Infinitely variable speed control, flat nozzle, blower function.

Order No. 4811 011 0838

SH 86 C-E



27.2 cm³, 5.6 kg^①. High power petrol vacuum shredder. Ideal for clearing large gardens and property maintenance. Infinitely variable speed control, round nozzle, flat nozzle, STIHL Easy2Start, STIHL anti-vibration system, 2-MIX engine, HD2 filter. Can also be used as a blower.

Order No. 4241 011 0925

For suitable fuels and lubricants, see page 210 onwards.

^① Weight excluding fuel, fully assembled
^② Weight excluding cable

Dust-reducing collection bag



45 l. For particularly dusty jobs. For SH 56 and SH 86.

Order No. 4229 708 9701

Curved flat nozzle



For SH 56, SH 86 and SHE 81.

Order No. 4241 708 6302

Gutter cleaning set



For clearing dirt and leaves. Approx. 3 m long blower tube, for SH 56, SH 86 and SHE 81.

Order No. 4241 007 1003

Order number	Displacement (cm³)	Rated voltage (V)	Power consumption (kW)	Weight (kg), including accessories	Sound pressure level [ⓐ] (dB(A))	Sound power level [ⓐ] (dB(A))	Vibration level, left/right [ⓐ] (m/s²)	STIHL engine (2-MIX/4-MIX [ⓐ])	Air throughput (m³/h) in vacuum mode	Collection bag volume (l)	STIHL anti-vibration system	STIHL ElastoStart	STIHL Easy2Start (E)	Round nozzle/flat nozzle	Infinitely variable speed control	Blower function [ⓐ]	Manual fuel pump	
Petrol vacuum shredders																		
SH 56 C-E	4241 011 0926	27.2	–	–	5.2 [ⓐ]	94	105	8.5/7.5	2-MIX	710	45	–	–	●	●/○	●	●	●
SH 86 C-E	4241 011 0925	27.2	–	–	5.6 [ⓐ]	93	106	2.5/1.9	2-MIX	770	45	●	●	●	●/●	●	●	●
Electric vacuum shredders																		
SHE 81	4811 011 0838	–	240	1.4	4.5 [ⓐ]	88	103	5.6/2.6	–	650	45	–	–	–	–/●	●	●	–


● As standard
○ Retrofittable (accessory)

E = Easy2Start

ⓐ K value according to Dir. 2006/42/EC = 2.0 dB(A)
ⓑ K factor according to Dir. 2006/42/EC = 2 m/s²

ⓐ Vacuum shredder can also be used as a blower





Technology

- 1 Sealing and air filter**
All round sealing and two foam filters stop even the finest particles escaping.
- 2 STIHL MultiClean sweeping system**
This system is designed to tackle all kinds of dirt. Cans, plastic bottles, heavy and wet debris? No problem. The STIHL MultiClean PLUS with an extra power sweep takes care of the finest dust. Debris is effectively brushed up in front of the machine so it doesn't get caught underneath.
- 3 Long-lasting materials**
Made of low-wear nylon, the bristles come with our four-year STIHL durability warranty.

i Please note that not all products are equipped with the features listed here. Only the most important features are described on this page. For further explanations and information, see page 252 onwards or online at www.stihl.com.au.

Comfort

- 4 Practical waste container**
The tall, roomy container carries an impressive amount of debris, yet takes up little space. You can even store the tool upright on the container to save space – and no dirt will drop out either.
- 5 Central height-adjustment and bristle hold-down clamp**
Thanks to the central height adjustment, this sweeping machine can handle many different surfaces. The lateral brushes and bristle hold-down clamp means that even areas along walls or kerbs are easy to clean.
- 6 Long-life transmission and ergonomic, height-adjustable push bar**
Its low weight, long-running gear mechanism with superb power transmission as well as an ergonomically designed push bar make this sweeping machine easy to push.



Sweeping machines and battery sweeping machine

- For home and professional users
- For cleaning paths, car parks and driveways
- Sweeps coarse, fine, heavy and wet debris
- With the efficient STIHL MultiClean and MultiClean Plus sweeping systems

KG 550



Container capacity 25 l, sweep width 55 cm, 6.0 kg.

For sweeping around the house. STIHL MultiClean sweeping system, 8-level central height adjustment, lateral wheels, suitable for outside use, four-year durability warranty on the low-wear nylon bristles.

Order No. 4860 019 4705

KG 770



Container capacity 50 l, sweep width 77 cm, 13.0 kg.

For low-dust sweeping of large areas both indoors and outdoors. STIHL MultiClean PLUS sweeping system, 8-level central height adjustment, low-dust sweeping process, bristle hold-down clamp, ergonomically shaped 2-fold height adjustment push bar, lateral wheels, transport handle, can be stored upright to save space, four-year durability warranty on the low-wear nylon bristles.

Order No. 4860 019 4706



Technology

- 1 Adjustable pressure/flow control on the machine**
This system delivers direct regulation of the water flow and working pressure on the pump. This means that the machine can be set up for specific applications, helping you do the work efficiently.
- 2 Low-speed engine and robust brass pump head**
Thanks to greater pump displacement, the low-speed motor can run at a lower rpm but still achieve great results. This boosts the lifetime of both engine and pump as well as helping the tool run more quietly.

- 3 Automatic switch-off function and delayed engine shut-down**
In all pressure washers, the motor automatically switches off as soon as the trigger is released and the machine rests in standby. The machines also feature a soft start function making them more comfortable to use and control.

i Please note that not all products are equipped with the features listed here. Only the most important features are described on this page. For further explanations and information, see page 252 onwards or online at www.stihl.com.au.



RE 88



10–100 bar, 520 l/h, 8.9 kg.

Light and simple to operate cleaner for around the house, for the car and garden. Rotary and fan jet nozzle, 6 m high-pressure mesh hose, accessories holder on casing, detergent spray set.

Order No. 4787 012 4504#

RE 90*

NEW

Replaces RE 88 as they sell out.



10–100 bar, 520 l/h, 9.6 kg.

Lightweight and compact 100 bar high-pressure cleaner with basic features. Aluminium pump head, integrated wheel kit, cleaning agent spray set with spray bottle, rotary nozzle, adjustable fan jet nozzle with pressure regulation, anti-drill, quick-release coupling on the lance, park position for switching off the sprayer during breaks in work, 6 m high-pressure hose, transport handle.

Order No. 4951 012 4511

Compact high-pressure cleaners

- For cleaning jobs around the home and garden and for private car cleaning
- For cleaning garden furniture, stairways, walkways and terraces.
- Versatile and handy
- Easy to transport and store

RE 109



10–110 bar, 440 l/h, 17.7 kg.
Compact cleaner for tougher jobs and car cleaning. Aluminium telescopic handle, fold-out front cover with integrated nozzle storage, power cable holder that can rotate, quick release coupling on the high pressure outlet, 7 m textile mesh high-pressure hose.

Order No. 4776 012 4504

RE 110*

NEW



10–110 bar, 440 l/h, 17.6 kg.
Comfortable 110 bar high-pressure cleaner with additional equipment. Long sprayer with soft handle for comfortable work, aluminium telescopic handle, storage compartment on the side with integrated nozzle and power cable storage, quick-release coupling on the high-pressure outlet, 7 m textile high-pressure hose.

Order No. 4950 012 4524

RE 119



10–125 bar, 500 l/h, 19.2 kg.
Ideal for tougher jobs around larger properties and gardens. Great for car cleaning. Additional aluminium transport handle, larger wheel diameter, 8 m steel-reinforced hose, comfortable sprayer handle, aluminium telescopic handle, fold-out front cover with nozzle storage, quick release coupling on the high pressure outlet.

Order No. 4777 012 4503#

RE 120*

NEW



10–125 bar, 500 l/h, 20.0 kg.
Powerful 125 bar high-pressure cleaner with additional quality features. Cleaning agent spray set with dosable spray bottle, high-quality aluminium additional transport handle on the underside, sturdy and durable 8 m steel-reinforced high-pressure hose, lance with brass valves.

Order No. 4950 012 4543

RE 130 PLUS*

NEW



10–135 bar, 500 l/h, 21.2 kg.
Powerful 135 bar high-pressure cleaner for exceptional comfort. Suited for larger jobs around the property and garden. Hose reel featuring a hose guide, ensuring straightforward and practical storage of the 9 m steel-reinforced high-pressure hose.

Order No. 4950 012 4564

Accessories relating to this range can be found from page 170 onwards.

*Models RE 90, 110, 120 and 130 PLUS will be introduced as current versions are deleted.





RE 163 PLUS



10–120 bar, 650 l/h, 27.6 kg.

The robust high-end cleaner offering exceptional comfort. Hose reel with 12 m steel-reinforced high-pressure hose, brass pump head, low-wear, ceramic-coated pistons, pressure/flow control, pressure gauge, detergent tank and metering.

Order No. 4769 012 4504

Mid-range high-pressure cleaner

- For commercial use and tough domestic cleaning
- For a variety of uses such as in garages and workshops
- Operating pressure of up to 120 bar for removing even the toughest dirt and grime

Accessories relating to this range can be found from page 170 onwards.



Cleaning systems – Petrol High-Pressure Cleaners

- When it comes to providing top cleaning performance, STIHL delivers pressure cleaners combining power and high-quality components.
- Whether you need to clean your deck or your professional equipment, STIHL high-pressure cleaners are designed for convenience and durability to make your job easier and impeccable.
- Ready to pressure clean with STIHL?

RB 200

NEW



2500 psi, 520 l/h, 28 kg.

When you need to do heavy cleaning on your deck, house or equipment, the STIHL RB 200 high-pressure cleaner does it all without fuss. Its powerful 173 cc (5 hp) engine delivers 2,500 psi of water pressure – powerful enough to tackle tough cleaning jobs on sidewalks, driveways, decks and more.

Order No. 7004 200 0015

RB 600

NEW



3200 psi, 680 l/h, 53.5 kg.

Do you need a powerful pressure cleaner to tackle your professional cleaning jobs? Whether it's greasy farm equipment, stained weather boards, or a dirty truck, the STIHL RB 600 is ready to rock. It features 3,200 psi of water pressure and 208 cc engine.

Order No. 7004 200 0017

RB 400

NEW



2700 psi, 620 l/h, 41 kg.

When you need a powerful cleaner that delivers top performance and can stand up to daily use, choose the STIHL RB 400 DIRT BOSS® high-pressure cleaner. It features a powerful 196 cc (6.5 hp) engine that can output 2,700 psi of water pressure at 10.2 liters per minute.

Order No. 7004 200 0016

RB 800

NEW



4200 psi, 910 l/h, 76 kg.

The STIHL RB 800 is the pressure washer you need if you are looking for professional power and performance. This high-pressure cleaner is the most impressive one in the STIHL lineup. It is designed for heavy-duty commercial use and can get through tough cleaning jobs.

Order No. 7004 200 0018

Cleaning systems

High pressure gun
RB 200, 400 M22

NEW



Order No. 4789 500 1300

High pressure gun
w/grip RB 600,
800 QC*

NEW



Order No. 4791 500 1300

3 pack 2.7° nozzles
15 deg, 25 deg, 65 deg
detergent RB 200

NEW



Order No. 4789 007 1000

5 pack 3.0° nozzles
0 deg, 15 deg, 25 deg,
40 deg, 65 deg deter-
gent RB 400

NEW



Order No. 4790 007 1000

5 pack 3.3° nozzles
0 deg, 15 deg, 25 deg,
40 deg, 65 deg deter-
gent RB 600

NEW



Order No. 4791 007 1000

5 pack 3.7° nozzles
0 deg, 15 deg, 25 deg,
40 deg, 65 deg deter-
gent RB 800


NEW



Order No. 4792 007 1000

Rotary Nozzle 5100
Max PSI QC RB 600,
800

NEW



Order No. 4900 500 1642

Pivot Coupler QC* RB
200, 400, 600, 800

NEW



Order No. 4900 500 6700

Rotary Nozzle 3000
Max PSI QC RB 200,
RB 400

NEW



Order No. 4900 500 1646

Multi function nozzle
(6 pattern selector)
4200 Max PSI QC
RB 200, 400, 600, 800

NEW



Order No. 4900 502 1022

Long range chemical
nozzle RB 200, 400,
600, 800

NEW



Order No. 4900 502 1023

**Spray Lance RB 200,
400, 600 QC**



NEW

Order No. 4915 500 0938

**Extension lance -
1.22m. RB 200, 400,
600, 800 QC***



NEW

Order No. 4915 500 0937

**1.22m wand extension
QC RB 200, 400, 600,
800**



NEW

Order No. 4915 500 0936

**Gutter cleaner QC
RB 200, 400, 600, 800**



NEW

Order No. 4900 500 1904

**15m High-Pressure
Steel Braided Hose
extension, QC. RB 600,
800**



NEW

Order No. 4925 500 0811

**Extension hose
7.5m M12**
High-pressure hose to
fit RB 200 and RB 400**



NEW

Order No. 4925 500 0817

**Extension hose
12m QC*
High-pressure hose to
fit the RB 600**



NEW

Order No. 4925 500 0809

**Wand Tip QC RB 200,
400, 600, 800**



NEW

Order No. 4900 500 6704

**Power Broom QC
RB 200, 400, 600, 800**



NEW

Order No. 4900 500 3905

**Rotating surface
cleaner QC RB 200,
400, 600, 800**



NEW

Order No. 4900 500 3904

* QC = Quick connect coupling

** M12 = 12mm screw connection



Accessories for high-pressure cleaners RE 88 – RE 163 PLUS

-  For extending the range of possible applications
-  Versatile solutions to make your work easier
-  Accessories for special cleaning applications

Wash brushes



Large area wash brush

Approx. 285 mm wide. For cleaning delicate surfaces. With integrated rubber lip for removing water residue, for RE 88 – RE 130 PLUS.

Order No. 4900 500 6000



Cleaning set

For cleaning hard-to-reach areas. Includes fan jet nozzle, large area wash brush and angled nozzle (90°), for RE 88 – RE 130 PLUS.

Order No. 4900 500 6100



Rotating wash brush

160 mm For effective cleaning of sensitive surfaces, with rotating inner brush and adjustable working angle, for RE 88 – RE 130 PLUS[®].

Order No. 4900 500 5900

Rotary wash brush

Adjustable rotary wash brush for quick and easy removal of dirt from flat surfaces, for RE 163 PLUS

Order No. 4925 500 5900



Surface cleaner



RA 82

For quick and splash-free cleaning of large horizontal surfaces, for RE 88 – RE 130 PLUS.

Order No. 4900 500 3903



RA 101

For quick and splash-free cleaning of large horizontal and vertical surfaces. Including spray lance extension, for RE 88 – RE 130 PLUS.

Order No. 4900 500 3902

Spray lances



Angled

470 mm with nozzle. For cleaning hard-to-reach areas. Reduced pressure for delicate surfaces, for RE 88 – RE 130 PLUS[®].

Order No. 4900 500 1902



Long, angled

1,080 mm with nozzle. For cleaning hard-to-reach areas. for RE 88 – RE 130 PLUS.

Order No. 4900 500 1903

Flat textile hose with holder



12m long. Low-pressure hose including holder, can be easily rolled and unrolled. Unwind before use. For space-saving storage directly on the tool. For RE 88–RE 163 PLUS^①.

Order No. 4900 500 8600

Foam nozzle



Powerful cleaning effect due to foam that adheres to the surface for a long time. Spray jet that can be adjusted vertically or horizontally, adjustable spray angle, adjustable spray angle, dosage button for cleaning agent concentration, 1-litre bottle with large filler opening.

For RE 88–RE 130 PLUS.

Order No. 4915 500 9600

For RE 163 PLUS

Order No. 4925 500 9600

Suction set



3 m long. For low-pressure water supply from rain water tanks and cisterns. It is recommended that a water filter is fitted, for RE 88 – RE 163 PLUS.

Order No. 4900 500 0500

High-pressure hose extensions^③



For more range. With quick-release coupling.

9 m, steel-reinforced for RE 109 – RE 130 PLUS

Order No. 4915 500 0836

10 m, steel-reinforced for RE 108 – RE 130 PLUS

Order No. 4900 500 8212

Pipe cleaning set



15 m long. Also suitable for smaller diameter pipes. With nozzle, for RE 88 – RE 163 PLUS.

Order No. 4900 500 8000


Wet sandblasting device



For wet sandblasting of brickwork and metal parts. For RE 88 – RE 163 PLUS.

Order No. 4900 500 1801

Spray lances



Straight, without nozzle^④. With quick-release coupling. For RE 163 PLUS.

Length 1,070 mm

Order No. 4925 500 0962

Length 1,800 mm

Order No. 4925 500 0963

Length 2,500 mm

Order No. 4925 500 0964

Spray lances with rotary nozzle



Straight version. For attacking particularly stubborn dirt, rapidly rotating pencil jet for large areas, quick-release coupling. For RE 163 PLUS.

Order No. 4925 500 8304

High-pressure hose coupling



For connecting high-pressure hoses. For RE 163 PLUS.

M24 x 1.5

Order No. 4925 503 0800

Water filter

Protects the pump against dirt from the water supply. ³/₄" attachment.



Standard filter

For RE 88 – RE 163 PLUS.

Order No. 4900 500 5402



Professional filter

For RE 163 PLUS.

Order No. 4900 500 5401

Spray lance extension



410 mm long. For RE 88 – RE 130 PLUS for models built since 2007.

Order No. 4900 500 0303

① Recommended for RE 88, RE 90, RE 109, re 110, RE 119, RE 120, RE 129 and RE 130 PLUS: Use in combination with the spray lance extension (Order No. 4900 500 0303)
 ② Recommended for RE 109, RE 110, RE 119 and RE 120: When used in combination with the hose attachment (Order No. 4900 501 2001) the flat hose with holder can be stored directly on the cleaner. Max. water supply temperature = 20°C

③ High-pressure hose extension cannot be rolled up on a hose reel

④ Use of a nozzle protector is recommended



Cleaning agents and maintenance products for high-pressure cleaners

- Designed specifically for use with STIHL high-pressure cleaners
- The right cleaning agent for every job
- Blasting granulate for the toughest dirt and grime

Auto & Outdoor Cleaner / Degreaser



For heavy duty cleaning of wheels, heavy equipment, engines, parts & tools, floors, driveways and more.

Spray bottle, 750 ml ready to use

Order No. 7004 871 0446

4 l concentrate

Order No. 7004 871 0449

Auto Wash & Wax



Foam premium vehicle wash for cars, bikes, trucks and boats. Quickly removes soils, road grime and bugs.

1 l

Order No. 7004 871 0447

4 l

Order No. 7004 871 0448

Hand Wash Gel



Waterless gel, perfect for use in workshops, garages and at home.

Heavy duty hand cleaner, 500 gm

Order No. 7004 871 0445



Accessories for high-pressure cleaners RE 163 PLUS

- Extra equipment for the professional models
- Special nozzles, wash brushes and other accessories for special cleaning applications

Foam nozzle



Powerful cleaning effect due to foam that sticks to the surface for a long time to help lift the dirt. Spray jet that can be adjusted vertically or horizontally, adjustable spray angle, dosage button for cleaning agent concentration, 1 litre bottle with large filler opening. For RE 163 PLUS.

Order No. 4925 500 9600



STIHL professional tip:

Our professional cleaners come with a straight spray lance and 30° high-pressure nozzles as standard. With the right accessories, you can optimise them to exactly suit your individual cleaning requirements. For example, when cleaning large areas it's more efficient to use a 60° nozzle. For spots that are hard to reach, an angled spray lance can be a real advantage.

Order number	Operating pressure (bar)	Max. pressure (bar) ①	Min. water throughput (l/h)	Max. water throughput (l/h)	Max. water supply temperature (°C)	Weight, ready for operation (kg)	Power consumption (kW)	Sound pressure level ② (dB(A))	Sound power level ② (dB(A))	Vibration level ③ (m/s²)	Power cable length (m)	
High-pressure cleaners, compact range ④												
RE 88	4787 012 4504	10–100	120	350	520	40	8.9	1.7	78.0	90.5	< 2.5	5
RE 90 NEW <small>Available from Spring 2019!</small>	4951 012 4511	10–100	120	350	520	40	9.6	1.8	80.0	88.0	< 2.5	5
RE 109	4776 012 4504	10–110	120	380	440	40	17.7	1.7	68.3	81.1	< 2.5	5
RE 110 NEW	4950 012 4524	10–110	120	380	440	40	17.6	1.7	67.0	81.0	< 2.5	5
RE 119	4777 012 4503	10–125	140	400	500	60	19.2	2.1	67.0	79.8	< 2.5	5
RE 120 NEW	4950 012 4543	10–125	140	400	500	40	20.0	2.1	67.0	81.0	≤ 3.8	5
RE 129 PLUS	NLA*	10–135	150	420	500	60	20.0	2.3	70.7	83.5	< 2.5	5
RE 130 PLUS NEW	4950 012 4564	10–135	150	420	500	40	21.2	2.3	72.0	86.0	< 2.5	5
High-pressure cleaners, mid range ④												
RE 163 PLUS	4769 012 4504	10–120	160	570	650	60 ⑤	27.6	3.3 ⑥	79.7	92.8	< 2.5	5
Cleaning systems – Petrol High Pressure Cleaners ④												
RB 200 NEW	7004 200 0015	170	–	–	520	52	28.0	–	90.0	103.0	–	–
RB 400 NEW	7004 200 0016	185	–	–	620	52	41.0	–	93.0	102.0	–	–
RB 600 NEW	7004 200 0017	220	–	–	680	52	53.0	–	90.0	103.0	–	–
RB 800 NEW	7004 200 0018	290	–	–	910	52	76.0	–	93.0	106.0	–	–

● As standard
○ Retrofittable (accessory)

① Max. permissible system pressure
② K factor according to Dir. 2006/42/EC = 2.0 dB(A)

③ K-factor according to Dir. 2006/42/EC = 1.5 m/s² (RE 90), 2.0 m/s² (from RE 100), with fan jet nozzle
④ Please comply with local waste water regulations when using STIHL high-pressure cleaners

Mains voltage (V)	Engine speed (rpm)	Cleaning agent spray set/cleaning agent tank/ external cleaning agent injector	Transparent detergent tank (l)	Detergent measuring system	High-pressure hose (length in m), steel-reinforced	Aluminium pump head/brass pump head/ceramic pistons	Pressure/flow control on the tool/trigger	Pressure gauge	Aluminium telescopic handle	Aluminium transport handle	Folding hood for nozzle storage	Bracket for flat textile hose	Quick-release coupling on the high-pressure outlet	Integrated high-pressure hose reel	Anti-twist coupling on the lance	Rotary nozzle/2nd Spray lance with rotary nozzle
240	18,000	●/-/-	0.5	-	6 ^⑦	●/-/-	-/-	-	-	-	-	-	-	●	●/-	
240	15,000	●/-/-	0.5	-	6 ^⑦	●/-/-	-/-	-	-	-	-/-	-	-	●	●/-	
240	2,800	●/-/-	0.5	-	7 ^⑦	●/-/-	-/-	-	●	-	●	o/o	●	-	●	●/-
240	2,850	●/-/-	0.5	-	7 ^⑦	●/-/-	-/-	-	●	-	●	o/o	●	-	●	●/-
240	2,800	●/-/-	0.5	●	8	●/-/-	-/-	-	●	●	●	o/o	●	-	●	●/-
240	2,850	●/-/-	0.5	●	8	●/-/-	-/-	-	●	●	●	o/o	●	-	●	●/-
240	2,800	●/-/-	0.5	●	9	●/-/-	-/-	-	●	●	●	●/o	-	●	●	●/-
240	2,850	●/-/-	0.5	●	9	●/-/-	-/-	-	●	●	●	o/o	-	●	●	●/-
240	2,800	-/●/●	2	●	12	-/●/●	●/-	●	●	●	●	●/o	-	●	●	●/-
-	-	-/-/●	-	-	7.5	●/-/-	-	-	-	-	-	-	●	-	●	-
-	-	-/-/●	-	-	7.5	-/●/●	-	-	-	-	-	-	●	-	●	-
-	-	-/-/●	-	-	12	-/●/●	●	-	-	-	-	-	●	-	●	-
-	-	-/-/●	-	-	15	-/●/●	●	-	-	-	-	-	●	-	●	-

⑦ With flat textile hose attached max. water intake temperature = 20°C

⑧ The electrical installation on-site must have the necessary power capacity

⑦ PVC material

* No longer available



Technology

- 1 Delayed shutdown**
Due to the automatic switch-on function, the vacuum continues to run for a short time after shutdown, so that residual dirt is vacuumed up and the hose is completely emptied.
- 2 Multiple filter system**
Thanks to the multiple filter system, both coarse and fine dust is filtered effectively. The filter element is washable, hygienic, economical and eco-friendly.

i Please note that not all products are equipped with the features listed here. Only the most important features are described on this page. For further explanations and information, see page 252 onwards or online at www.stihl.com.au.

Comfort

- 3 Integrated accessories box**
With vacuum hose and power cable holder. For easy storage of accessories on the machine.
- 4 Automatic switch-on function/power outlet (E)**
Electric power tools can be plugged into a socket on the vacuum cleaner. The vacuum cleaner is then automatically switched on and off in line with the operation of the power tool.
- 5 Filter cleaning**
Optimum performance at all times through simple and quick cleaning of the filter element.
- 6 Speed control**
For progressive adjustment of suction capacity on the machine.



Wet and dry vacuum cleaners

- Great for professionals in workshops, cleaning companies and industrial use
- For home use: SE62
- Wide range of high-quality accessories

SE 62



1.4 kW, 210 mbar, 3,600 l/min. For getting rid of dust, dirt and liquids indoors and outdoors. Wet and dry vacuuming options, blower function by moving the suction tube to the exhaust port, multiple filter system, filter cleaning, switchable floor nozzle, universal nozzle, crevice nozzle.

Order No. 4784 012 4405

SE 122



1.5 kW, 250 mbar, 3,700 l/min. Wet and dry vacuum with high suction power and large storage capacity. With multiple filter system, integrated accessories box and suction tube holder. Wet/dry vacuuming options, filter cleaning, filter element / bag, caster wheels with locking brakes, stainless steel handle with quick-release coupling.

Order No. 4774 012 4401

Accessories relating to this range can be found from page 178 onwards.

E = Automatic switch-on function/power outlet



Dust class
M

Certified wet and dry vacuum cleaners

Wet and dry vacuum cleaners are essential for cleanliness in the construction business and workshops.

SE 133 ME



1.4 kW, 250 mbar, 4,500 l/min. Full wet and dry vacuum cleaner with automatic switch-on function when used in conjunction with electric tools. Dust class M with automatic filter cleaning without loss of suction power, automatic volume flow monitoring, infinitely variable speed control, with adapter plates for carrying tool boxes, anti-static accessories also for extraction on battery-powered electric power tools.

Order No. 4786 012 4434

Adapter plates are compatible with STIHL storage boxes to fix to the top of the SE 133 ME. See page 29



Accessories for wet and dry vacuum cleaners

- For a whole range of different applications
- Nozzles for different applications
- Extension tubes and adapters
- Vacuum hoses

Filter bags



5-piece pack. Strong, tear-resistant material.

For SE 62.

Order No. 4901 500 9004

With dust seal for SE 122.

Order No. 4901 500 9007

With dust seal for SE 133 ME

Order No. 4901 500 9009

Car set



For cleaning different surfaces inside cars. Crevice nozzle (300 mm), dusting brush, brush nozzle and rubber nozzle, for SE 62–SE 133 ME.

Order No. 4901 500 9500

Wet vacuuming set



For cleaning up liquids. Wet vacuum floor nozzle, angled rubber nozzle, stainless steel filter element, for SE 62–SE 122.

Order No. 4901 500 9400

Filter elements



For regular or prolonged periods of wet vacuum operation. Stainless steel, for SE 62–SE 122.

Order No. 4901 501 0900



PTFE flat-fold filter, Dust class M, washable, for SE 133 ME.

Order No. 4786 703 5902

Heavy duty wet filters (not pictured)

For SE 61–SE 62

Order No. 7004 871 0101

For SE 122

Order No. 7004 871 4724

Filter elements



For upgrade or replacement.

Strong paper for SE 62–SE 122.

Order No. 4709 703 5900

Durable, washable PET liner, ideal for wet vacuum operation for SE 62–SE 122.

Order No. 4742 703 5900

Coarse dirt set



For cleaning up coarse dirt and debris. Coarse dirt nozzle, extension tubes (2x500 mm), connectors (2x), vacuum hose 1.75 m long, 50 mm Ø, for SE 122–SE 133 ME.

Order No. 4901 500 9300

Nozzles for cleaning floors (attachment Ø 36 mm)



Combi suction nozzle

270 mm wide. With foot-operated switch for smooth surfaces and carpets, for SE 62–SE 122.

Order No. 4901 500 2503



Aluminium floor nozzle

330 mm wide. For dry vacuuming. Removable brush insert, for SE 62–SE 133 ME.

Order No. 4901 500 2700



Wet vacuum nozzle

300 mm wide. For wet vacuuming, for SE 62–SE 133 ME.

Order No. 4901 500 7200

Nozzles for cleaning floors (attachment Ø 36 mm)



Universal floor nozzle

400 mm wide. For wet and dry vacuuming. Height-adjustable, for SE 62–SE 133 ME.

Order No. 4901 500 2705



Large area floor nozzle

450 mm wide. For large areas. Aluminium, adjustable height, with replaceable insert.

With rubber lip element for wet vacuuming

for SE 62–SE 133 ME

Order No. 4901 500 2711

Suction nozzles (attachment diameter 36 mm)



Universal suction nozzle

115 mm wide. Plastic, with lint brush e.g. for car seats, for SE 62–SE 133 ME.

Order No. 4901 502 2300



Universal suction nozzle

For SE 62–SE 122

Order No. 4901 502 2310



Coarse dirt nozzle^①

For SE 62–SE 122

Order No. 4901 502 2705

① Replacement for coarse dirt kit. Other components needed.

Suction nozzles

(attachment diameter 36 mm)



Angled rubber nozzle

185 mm long. For vacuuming delicate surfaces, SE 62–SE 133 ME.

Order No. 4901 502 2400



Crevice nozzle

300 mm long. For cleaning hard-to-reach areas. Plastic, for SE 62–SE 133 ME.

Order No. 4901 502 2200



Crevice nozzle

920 mm long. For cleaning boilers or ovens. Metal, for SE 62–SE 133 ME.

Order No. 4901 502 2201

Brush nozzles

(attachment diameter 36 mm)



Dusting brush

70 mm wide. E.g. for computer keyboards. Can be rotated, with nylon bristles, for SE 62–SE 133 ME.

Order No. 4901 502 2900



Brush nozzle

230 mm long. For cleaning delicate objects, e.g. upholstered furniture, for SE 62–SE 133 ME.

Order No. 4901 502 2600



Radiator suction nozzle

For cleaning radiators and blinds. Crevice nozzle with special brush insert, for SE 62–SE 133 ME.

Order No. 4901 500 2600

Extension tube



Attachment Ø 36 mm.

1 unit at 500 mm in length, stainless steel for SE 62–SE 133 ME

Order No. 4901 503 1601

2 units at 500 mm in length, aluminium for SE 62–SE 133 ME

Order No. 4901 503 1610

Handles



Vac hose handle for SE 62.

Order No. 4901 502 3015



Handle with connector for SE 122

Order No. 4901 500 4702

Vacuum hoses



With adapter for power tools. Ø 27 mm x 3.5 m, for SE 62.

Order No. 4901 500 0520



With adapter for power tools. Ø 27 mm x 3.5 m, anti-static, for SE 122–SE 133 ME.

Order No. 4901 500 0503



With adapter for power tools. Ø 32 mm x 3.5 m, for SE 62.

Order No. 4901 500 0519

Order number

Max. power consumption P_{max} (kW)

Max. vacuum (mbar)

Wet and dry vacuum cleaners

SE 62	4784 012 4405	1.4	210
SE 122	4774 012 4401	1.5	250

Certified wet and dry vacuum cleaners

SE 133 ME	4786 012 4434	1.4	250
-----------	---------------	-----	-----

● As standard

E = Automatic switch-on function/power outlet

M = Dust Class

Vacuum hoses



Ø 36 mm x 3.0 m for SE 122–SE 133 ME
Order No. 4901 500 0504

Hose / wand connector



Ø 50/27 mm
Order No. 4901 503 1501
 Ø 50/32 mm
Order No. 4901 503 1505
 Ø 50/36 mm
Order No. 4901 503 1500
 Ø 50/50 mm
Order No. 4901 503 1504

Adapter for power tools

For directly connecting electric power tools with vacuum capability to the vacuum hose.



Ø 32 mm. Suction power control, for SE 62.

Order No. 4901 503 1509



Ø 36 mm. Quick-release coupling, for SE 122–SE 133 ME.

Order No. 4901 500 7301

Waste bag



For easy, dust-free disposal. 5 units per pack, plastic, for SE 133 ME.

Order No. 4901 903 4900

Connector



Ø 50/50 mm

Order No. 4901 503 1200

Loading cloth

(not pictured)

Replaces the filter bags to allow bagless vacuuming. Ideal for fine dust and long working periods.

For SE 122

Order No. 4774 703 5900

Volume flow (l/min)	Weight, ready for operation (kg)	Sound pressure level [Ⓢ] (dB(A))	Mains voltage (V)	Container volume (l)	Suction hose length (m)	Hose diameter (mm)	Wet/dry vacuuming options	Automatic switch-on function/power outlet (E)	Multiple filter system	Filter cleaning, automatic/manual	Paper/liner filter element	Liner filter bag	Handle with quick-release coupling	Plastic/stainless steel vacuum attachment	Switchable floor nozzle	Universal nozzle, crevice nozzle	Adapter for power tool use	Speed control	Soft start-up	Delayed shutdown
3,600	7.5	70.9	240	20	2.5	32	●	–	●	–/●	●	●	●	●	●	–	–	–	–	
3,700	12.1	65.1	240	30	3.0	36	●	–	●	–/●	●	●	–/●	●	●	–	–	–	–	
4,500	16.0	68.0	240	42	5.0	32	●	●	●	●	–/●	●	●	●	●	●	●	●	●	

Ⓢ K factor according to Dir. 2006/42/EC = 2.0 dB(A)