


TORO®

E SERIES

Battery Powered Ride-on Mower



www.toro.com.au



QUIET

**LOW
MAINTENANCE**

EASY TO USE

**Introducing the all-new
eS3000 battery powered
ride-on mower from Toro®**



76 CM, 72V RIDE-ON LAWN MOWER

BATTERY POWERED

Achieve maximum productivity with minimum effort with Toro's newest ride-on battery powered tractor mower.

The 72V re-chargeable battery offers a cleaner, quieter and more peaceful mowing experience. Power through your garden clean-up in no time, the eS3000's compact design and top-of-the-line specifications means you can create a beautiful lawn with more time to enjoy it.


LIGHTING THE WAY

LED front light illuminates your path if you're heading into a twilight mow.



BUILT-IN CUP HOLDER

Stay hydrated with the conveniently-located cup holder.



LARGE WIDTH OF CUT WITH A SMALL TURNING CIRCLE

76 cm (30") twin spindle deck fits in tight spaces with a nimble 46cm turning circle.



ERGONOMIC CONTROL PANEL

All controls conveniently in one place. Mow in reverse, cruise control and a handy USB connector.



BUILT FOR COMFORT

Rider comfort is assured with a high backed movable seat.



MULCHING OR SIDE DISCHARGE

Conveniently located on the right hand side of the machine, the outlet can be utilised for mulching (closed) or as a side discharge chute (as shown here).



POWERFUL 72V MOTOR

Powered by a 72V brushless motor with up-to 2 hours (8,000 sq/m) of run time.



MULTIPLE HEIGHT OF CUT OPTIONS

10 positions of cutting height from 2.5 cm up to 10.5 cm.





Powerful. Efficient.

A MORE TRANQUIL MOWING EXPERIENCE

- WITH ALL THE TECHNOLOGY YOU EXPECT FROM TORO®

Low maintenance and feature-packed, the eS3000 will quickly become a vital part of your Toro® equipment stable.



HASSLE-FREE

No belts, pulleys, spark plugs, fuel or oil.



EFFICIENT

Quiet operation. Low maintenance.
Simple recharge.



VERSATILE

Easy change from mulching to side discharge.

SPECIFICATIONS*

ES3000SD 72V RIDE-ON LAWN MOWER (76 CM) (75500)

TRANSMISSION MOTOR	Single motor with a rating of 800w. Powered by an integrated battery with mains charging cable (in place charging) Lead acid AGM 72V
RUN TIME	Up to 2 hours or 8000m ²
DECK SIZE	76 cm (30 inches)
DECK CONFIGURATION	Right side discharge, two blade mid-mounted rotary. Formed steel housing with welded mounting brackets
DECK SPINDLES	Two motors (800 watts each) on each spindle, powering the rotation of each blade
HEIGHT OF CUT	2.5 cm to 10.6 cm (1 to 4.2 inches) HOC in 10 increments
STEERING CONTROL	Ergonomic standard steering wheel
WHEELBASE	107 cm (42.2 inches)
TURNING CIRCLE	46 cm
TYRES	33.0 x 16.5 – 15.2 cm (13.0 x 6.5 – 6.0 inch), pneumatic tyre with symmetrical tread
SEAT	Adjustable, hinged mounting, with spring suspension
GROUND SPEED	Mow: 0 to 5 km/h (0 to 3.1 mph) Forward: 0 to 8 km/h (0 to 5 mph) Reverse: 0 to 5 km/h (0 to 3.1 mph)
NET WEIGHT	188 kg
OVERALL DIMENSIONS	Height: 106 cm (41.7 inches) Width: Deflector down - 106 cm (41.7 inches). Deflector up/deck width - 82 cm (32.3 inches) Length: 148 cm (58.3 inches)
ACCESSORIES AND ATTACHMENTS	
TOOL CARRYING BAG OPTIONS	Part No. 134-6344
REGULAR MAINTENANCE OPTIONS	
BLADES	Part No. 134-5725
WARRANTY	Consumer: Machine 3 years warranty Professional: Machine 30 days warranty Refer to Operator's Manual for further details

* Specifications and design subject to change without notice. Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in design, required attachments and safety features. Consult your local Toro Distributor.

We reserve the right to improve our products and make changes in the specifications, designs and standard equipment without notice and without incurring obligation.



Count on it.



toro.com.au

Toro Customer Service 1300 867 628

Toro Australia Head Office
53 Howards Road
Beverly SA 5009

©2021 Toro Australia.
All Rights Reserved.
Printed in Australia.

01062021/IND-C0230
06/2021

Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs, and standard equipment without notice and without incurring obligation. The gross horsepower of the engines have been laboratory rated by the various engine manufacturers. As configured to meet safety, emission and operating requirements, the actual engine horsepower on this class may be significantly lower.

Many of the products you will find in certified Toro dealers' stores come with a warranty or guarantee from The Toro Company. In addition, our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure. Full details of your consumer rights may be found at www.consumerlaw.gov.au

**See your certified Toro dealers for details on all of our warranties.*

FOLLOW US!



facebook.com/toroaus
twitter.com/toroaus
youtube.com/toroaustralia